The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : DR-473

Lake : Rock Lake

Applicant : Fulton County Surveyor

Don Towne

125 East 9th Street

Rochester, IN 46975-1500

Description : The proposed project will remove 1' to 3' of silt and debris from approximately

2300' of the channel bottom. Details of the project are contained in information

and plans received at the Division of Water on June 5, 2008.

Location : Beginning approximately 2400' upstream of the County Road 880 West stream

crossing and continuing upstream approximately 2300' to a point 225'

downstream of the dam at Rock Lake

DOWNSTREAM: near Akron, Franklin Township, Kosciusko County SE¼, SW¼, NE¼, Section 17, T 30N, R 5E, Silver Lake Quadrangle

Quad Code: 4108518

UTM Coordinates: Downstream 4544895 North, 584885 East UPSTREAM: SW¼, NW¼, SW¼, Section 16, T 30N, R 5E

UTM Coordinates: Upstream 4544495 North, 585460 East

Statute/Rule : "Ditch" Act, IC 14-26-5

Application # : FW-24865

Stream : East Fork White River

Applicant : *Indiana Department of Natural Resources

Division of Engineering

Dale Gick PE

402 West Washington Street Room W264

Indianapolis, IN 46204-2641

Description : The existing inlet gates of Williams Dam will be replaced with 4 new bulkhead

gates at the upstream entrance to the powerhouse. The new gates will prevent loss of the upstream pool which is the water supply for the City of Bedford. In

addition a debris/log boom will be installed on the upstream side of the powerhouse. Details of the project are contained in information and plans

received at the Division of Water on May 27, 2008.

Location : Approximately 7535' upstream of Williams bridge

near Williams, Spice Valley Township, Lawrence County

NW1/4, NW1/4, NW1/4, Section 8, T 4N, R 2W, Williams Quadrangle

Quad Code: 3808676

UTM Coordinates: Downstream 4294861 North, 530807 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24870

Stream : Chippewanuck Creek

Applicant : Fulton County Surveyor

Don Towne

125 East 19th Street

Rochester, IN 46975-1500

Description : The proposed project will remove 1' to 3' of silt and debris from the channel

bottom, beginning at Koscuisko County Road 880 West (Station 294+00) and continuing upstream to a point 225 feet downstream of the dam at Rock Lake Station 344+00). In total, approximately 5,000 feet of the ditch will be dredged. Details of the project are contained in information and plans received at the

Division of Water on June 5, 2008.

Location : Beginning at the County Road 880 West stream crossing (station 29400) and

continuing upstream to a point 225' downstream of the dam at Rock Lake (station

34400)

DOWNSTREAM: near Akron, Franklin Township, Kosciusko County SW¼, NE¼, NW¼, Section 17, T 30N, R 5E, Silver Lake Quadrangle

Quad Code: 4108518

UTM Coordinates: Downstream 4544930 North, 582368 East UPSTREAM: SW¼, NW¼, SW¼, Section 16, T 30N, R 5E

UTM Coordinates: Upstream 4544495 North, 585460 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24875

Stream : Clarks Creek

Applicant : Plainfield Eye Care

Cory Shaffer

1855 Stafford Road

Plainfield, IN 46168-2338

Description : Approximately 1575 square feet of commercial space will be added to the

Plainfield Eye Care commercial building. Approximately 25 cubic yards of fill will be required in the floodway to bring the proposed addition up to the existing floor elevation. The existing parking lot will be regraded, but will match existing elevations. All excavated material will be used as fill for the addition or sent offsite. Landscape plantings will be placed along Stafford Road to meet town standards. Details of the project are contained in information and plans received

at the Division of Water on June 10, 2008.

Location : Beggining approximately at the intersection of Stafford Road and Elm Drive and

extending 200' south and 350' east

near Plainfield, Guilford Township, Hendricks County

NW1/4, NE1/4, SW1/4, Section 36, T 15N, R 1E, Plainfield Quadrangle

Quad Code: 3908664

UTM Coordinates: Downstream 4394293 North, 553568 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24895

Stream : Unnamed Tributary Mud

Creek

Applicant : Dam Inc

Sandra Hubbard, President

8735 Brook Court

Indianapolis, IN 46256-1505

Description : An earthen dam was constructed across the creek to create a 1.6 acre

recreational lake. The dam is approximately 250' long and 24' high. It has a crest elevation of 827.2 to 828.4', NAVD and a 12 to 14' top width. The embankment slopes are 2.6:1 and 3:1 on the upstream and downstream faces, respectively. The principal spillway consists of a 48" pre-cast concrete manhole connected to 140' of 15" corrugated metal pipe. The structure was designed to maintain a normal pool elevation of 819', NAVD. An emergency spillway was constructed in the right (south) abutment. It has a 13.5' effective width and a crest elevation of 724.0', NAVD. The average left and right side-slopes are 3.6' to 1' and 4.4' to 1'. The 15" corrugated metal pipe was found to be deficient and will be replaced or repaired. Details of the project are contained in information and plans received at

the Division of Water on June 25, 2008.

Location : Dam #49-17; approximately 1150' north and 750' west of the 82nd Street and

Sargent Road intersection

near Indianapolis, Lawrence Township, Marion County

SE1/4, SE1/4, NE1/4, Section 24, T 17N, R 4E, Fishers Quadrangle

Quad Code: 3908681

UTM Coordinates: Downstream 4417879 North, 584274 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24896

Stream : Unnamed Tributary

Hoppers Branch

Applicant : Mark Gillen

12 Shannon Road

Zionsville, IN 46077-8376

Description

creek to create a 14.3 acre recreational lake. The dam is approximately 260' long and 37' high. It has a crest elevation of 729.4', NGVD and a 12' top width. The embankment slopes are 2.4:1 and 3.4:1 on the upstream and downstream faces, respectively. The principal spillway consists of a 36" concrete drop inlet connected to a 144' of 15" corrugated aluminum pipe fitted without antiseep collars. The structure is designed to maintain a normal pool elevation of 725.4', NGVD. The downstream slope of the dam has 7 perforated piles embedded in granular material on both sides of the principal spillway pipe about 49" below the surface to provide additional drainage. A vegetated emergency spillway was constructed in the east (right) abutment. It has a 6 to 10' bottom width, left and right side-slopes of 4.3 to 1 and 2.3 to 1, and a control elevation of 726.1', NGVD. Details of the project are contained in information and plans received at the Division of Water on June 25, 2008.

Location

Dam 7-62; approximately 1,860' upstream from the mouth of the Unnamed

Tributary to Hoppers Branch

near Beanblossom, Jackson Township, Brown County

NE14, NW14, SW14, Section 36, T 10N, R 2E, Morgantown Quadrangle

Quad Code: 3908633

UTM Coordinates: Downstream 4345764 North, 563307 East

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24899

Stream : St. Joseph River

Applicant : Patricia Ann Brademas

Cynthia Reed

3502 South Shore Drive Mishawaka, IN 46544

Description : A cantilevered peir will be constructed near the middle of applicant's shoreline

and will be 4' wide and will extend out 20' beyond seawall. Steel piling, cross bracing and concrete support structure will be installed landward of the seawall IAW drawings. Details of the project are contained in information received electronically at the Division of Water on June 27, 2008 and in plans and

information received at the Division of Water on

Location : along the left (south) bank of the St Joseph river approximately 5000'

downstream of the Bittersweet Road bridge crossing at Mishawaka, Penn Township, St. Joseph County

NW1/4, NE1/4, NE1/4, Section 13, T 37N, R 3E, Osceola Quadrangle

Quad Code: 4108661

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24901

Stream : St. Joseph River

Applicant : Timothy E Logan

54110 East View Drive Bristol, IN 46507-9079

Description : An existing, railroad tie seawall will be refaced with a new steel sheet piling

seawall along 122' of the north (left) bank of the river to deter bank erosion. The new wall will be approximately 4.5' high, as measured from the riverbed, will have the same alignment as the existing wall, and will tie into existing seawalls located on adjacent properties located to the north and the south. The piling will be driven approximately 5.5' into the riverbed and will be anchored with deadmen spaced at 12' intervals. An inside facing whaler will be placed across the inside of the wall to further stabilize the structure. Clean fill will be brought onsite to backfill the area landward of the new seawall. The fill will be leveled with the top of the wall at the river and will be tapered back to existing ground elevations within the project site. Details of the project are contained in information received

electronically at the Division of Water on June 30, 2008 and in plans and

information received at the Division of Water on

Location : 54110 East View Drive; along the right (north) bank of the river approximately

5000' downstream from the confluence with the Washington Township Ditch at

Nibbvville

near Bristol, Washington Township, Elkhart County

Section 31, T 38N, R 6E, Bristol Quadrangle

Quad Code: 4108567

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24903

Stream : Pipe Creek

Applicant : Franklin County Commissioners

Eric Roberts

1010 Franklin Avenue Brookville, IN 47012-1089

Description

The existing steel truss bridge carrying Pipe Creek Road over Pipe Creek will be rehabilitated and will remain on the same alignment. The existing structure is a single span riveted pratt steel through truss with span length of 105'. The structure has an out-to-out length of 105.5' and a clear roadway width of 18'. The streambank at the southwest corner will have riprap placed over a geotextile fabric to stabilize the bank. Riprap will be placed below water along the footing of the west abutment to protect it from scour. The abutments are not skewed. The approach roadways will be reconstructed with minor improvements to the vertical and horizontal alignment without raising the low point in the profile. The existing structure will have portions removed and replaced with similar pieces. The project is federally funded. Plans and color photographs are enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on July 1, 2008 and in plans and

information received at the Division of Water on

Location : At the intersection of Pipe Creek Road and Pipe Creek

near Metamora, Metamora Township, Franklin County Section 18, T 11N, R 13E, Greensburg Quadrangle

Quad Code: 3908534

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : NW-72

Stream : St. Joseph River

Applicant : Jane Allen

55928 River Shore Estates Elkhart, IN 46516-1201

Description : Approximately 100' along the bank of the river will be stabilized with natural river

rock placed over a geotextile fabric. The natural river rock will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 4', a maximum streamward projection of 2' beyond the existing bank, and 1:1 sideslopes. Details of the project are contained in information and plans received at the Division of Water on May 8, 2008 and June

4, 2008.

Location : Beginning approximately 450' east and 450' north of the Rivershore Lane and

River Shore Estates intersection, extending 100' north

near Elkhart, Baugo Township, Elkhart County

SE14, SW14, SE14, Section 2, T 37N, R 4E, Osceola Quadrangle

Quad Code: 4108661

UTM Coordinates: Downstream 4615049 North, 580810 East

Statute/Rule : Navigable Waterway Act, IC 14-29-1, with the associated Navigable Waterway

Rule, 312 IAC 6

Application # : PL-21048

Lake : Witmer Lake

Applicant : Robert Belleville

14735 Pioneer Creek Court

Leo, IN 46765-9362

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on May 27, 2008 and June 30, 2008.

Location : 7780 South 150 East

near Wolcottville, Johnson Township, LaGrange County

NE14, SE14, SW14, Section 32, T 36N, R 10E, Wolcottville Quadrangle

Quad Code: 4108553

UTM Coordinates: Downstream 4598650 North, 633794 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21057

Lake : Crooked Lake

Applicant : Terri Rojahn

11870 Meadowood Lane

Parker, CO 80138

Description : A new concrete seawall will be constructed across 70' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. The existing railroad tie seawall will be completely removed. Details of the project are contained in information and plans received at the Division of Water on June 5,

2008.

Location : 40 Lane 352; lot 27 of Rose Lawn First Addition

near Angola, Pleasant Township, Steuben County

SE¼, NE¼, SE¼, Section 8, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4615666 North, 662321 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21079

Lake : Lake Manitou

Applicant : Scott Overdorf

7900 Peshewa Drive Lafayette, IN 47905-7719

Description : A new concrete seawall will be constructed across 60' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on June 19, 2008.

Location : 1200 Ferndale Drive

near Rochester, Rochester Township, Fulton County

NE¼, NE¼, SE¼, Section 9, T 30N, R 3E, Rochester Quadrangle

Quad Code: 4108612

UTM Coordinates: Downstream 4545746 North, 568114 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21082

Lake : Wall Lake

Applicant : Steuben Lakes Regional Waste

Tim Frederick

8119 West 150 North Angola, IN 46703-9767

Description : Gravity and pressure sewer lines will be installed from Orland to residence on

Wall and Brown Lakes. Construction will also include grinder pump stations and sanitary service lines and taps. Construction shall be done by means of open cut and directional drill, where sewer lines cross existing channels. Details of the project are contained in information and plans received at the Division of Water

on May 12, 2008 and June 12, 2008.

Location : Beginning approximately 750' north and 825' west of the intersection of County

Road West 650 North and North 1050 West (Steuben County) and extending

4220' south and 1850' west (Lagrange County) at Orland, Greenfield Township, LaGrange County Section 24, T 38N, R 11E, Orland Quadrangle

Quad Code: 4108562

UTM Coordinates: Downstream 4621714 North, 649910 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21089

Lake : Big Chapman Lake

Applicant : Dale Hamilton

50 EMS C 19 Lane Warsaw, IN 46582-9195

Description : An existing concrete seawall will be refaced across a portion of the 100' frontage

of the applicant on Big Chapman Lake to prevent deterioration. The refacing will consist of re-enforced concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 24" inch wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on July 1,

2008 and in plans and information received at the Division of Water on

Location : 50 EMS C19 LN; south side of Big Chapman Lake

near Warsaw, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21092

Lake : Big Turkey Lake

Applicant : Robert R Lambert

3805 South 1175 East LaGrange, IN 46761-8984

Description : A new seawall will be constructed along the frontage of the applicant on Big

Turkey Lake to deter shoreline erosion. The wall will be composed of 8" to 12" diameter glacial stone and will be approximately 140' long. Its lakeward face will be at the legal shoreline of the lake. Details of the project are contained in information received electronically at the Division of Water on July 3, 2008 and in

plans and information received at the Division of Water on

Location : 3805 South 1175 East; West shoreline of Big Turkey Lake, Lot 1 in the replat of

lot 2 Dutches Landing

at Stroh, Milford Township, LaGrange County

Section 12, T 36N, R 11E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake